

Project:	Melton Playing Field and Burkes Wood: Tree Safety Assessment					Surveyed By: Mrs Ali Martin		AlisonK - Arboriculture 33 Timperleys, Hintlesham, Ipswich, IP8 3PS. T: 01473 652552 M: 07425389786 E: ali@alisonK.co.uk		
Ref:	Appendix AA: Tree schedule and recommendations - Review 2					Weather: Dull and blustery.				
Inspection Dates:	July 30th 2019					Tagged: No				
Client:	Melton Parish Council									
Tree No (T).	Species	Height (Metres)	Canopy Spread (Metres)	Age Class	SULE (Remaining life)	Tree Problems/ Condition/ Comments	Safety Significance and recommendations	Initial Works Required	Work Priority	
1	Acer pseudoplatanus (Sycamore)	22.0m	18.0m	Fully Mature	40 + years	OVERALL CONDITION Good VITALITY Good On one of the stems a branch 300mm diameter has died off at around 3 metres stem height.	Not currently a safety issue as head high nettles makes access difficult	No action required	-	
2	Quercus robur (English Oak)	25.0m	20.0m	Veteran	20+ years	OVERALL CONDITION Fair VITALITY Fair	No change since last inspection.	No action required	-	
3	Quercus robur (English Oak)	20.0m	19.0m	Veteran	100+ Years	OVERALL CONDITION Good VITALITY Good	No change since last inspection.	No action required	-	
4	Pinus sylvestris (Scots Pine)	23.0m	10.0m	Fully Mature	20+ years	OVERALL CONDITION Good VITALITY Fair	No change since last inspection.	No action required	-	
5	Quercus robur (English Oak)	1.0m	1.0m		-	Remains of trunk on ground left as deadwood habitat and stump remain	-	No action required	-	
6	Quercus robur (English Oak)	22.0m	8.0m	Fully Mature	40 + years	OVERALL CONDITION Good - Cavity motioned at last inspection is now no more than a stem seam. VITALITY Good - Minor dead wood	improved in vitality since last inspection	No action required	-	
7	Quercus robur (English Oak)	19.0m	8.0m	Over-Mature	20+ years	OVERALL CONDITION Fair VITALITY Fair- Minor dead wood	No change since last inspection. ivy appears to be dying off on tree	No action required	-	
8	Carpinus betulus (Hornbeam)	15.0m	12.0m	Veteran	10 + years	OVERALL CONDITION Fair - VITALITY Good	No change since last inspection.	No action required	-	
9	Pinus sylvestris (Scots Pine)	22.0m	10.0m	Fully Mature	20+ years	OVERALL CONDITION Good VITALITY Fair	No change since last inspection.	No action required	-	
10	Quercus robur (English Oak)	25.0m	20.0m	Veteran	40 + years	OVERALL CONDITION Good - VITALITY Good New evidence of fire damage to base between buttress cavity. First noticed in original inspection in 2016. This attempt is new.	Not significant in terms of safety as not through bark not but if feasible needs protecting from possible future arson attacks	Suggest trying fire retardant spray	-	
11	Fagus sylvatica (Common Beech)	25.0m	18.0m	Over-Mature	5+ Years	OVERALL CONDITION Fair VITALITY Fair	No change since last inspection. Leaf coverage slightly better at top of tree. with fuller crown.	No action required	-	
12	Quercus robur (English Oak)	15.0m	12.0m	Fully Mature	20+ years	OVERALL CONDITION Fair VITALITY Fair	No change since last inspection.	No action required	-	
13	Quercus robur (English Oak)	18.0m	12.0m	Veteran	40 + years	OVERALL CONDITION Fair VITALITY Fair	No change since last inspection.	No action required	-	
14	Fagus sylvatica (Common Beech)	25.0m	12.0m	Fully Mature	20+ years	OVERALL CONDITION Good VITALITY Good	No change since last inspection.	No action required	-	
15	Fagus sylvatica (Common Beech)	23.0m	15.0m	Fully Mature	40 + years	OVERALL CONDITION Good VITALITY Good	No change since last inspection.	No action required	-	
16	Fagus sylvatica (Common Beech)	20.0m	15.0m	Fully Mature	20+ years	OVERALL CONDITION Fair - Previous surgery has left this tree with a wide spreading one-sided crown. VITALITY Fair Tree has not responded with growth from the majority of the wounds left by poor workmanship.	Not considered significant in term of tree safety currently however will poor work and the lack of response from the tree likely lead to the need for early removal	No action required	-	

Project:	Melton Playing Field and Burkes Wood: Tree Safety Assessment					Surveyed By: Mrs Ali Martin		AlisonK - Arboriculture 33 Timperleys, Hintlesham, Ipswich, IP8 3PS. T: 01473 652552 M: 07425389786 E: ali@alisonK.co.uk		
Ref:	Appendix AA: Tree schedule and recommendations - Review 2					Weather: Dull and blustery.				
Inspection Dates:	July 30th 2019					Tagged: No				
Client:	Melton Parish Council									
Tree No (T).	Species	Height (Metres)	Canopy Spread (Metres)	Age Class	SULE (Remaining life)	Tree Problems/ Condition/ Comments	Safety Significance and recommendations	Initial Works Required	Work Priority	
17	Fagus sylvatica (Common Beech)	2.0m	1.0m			Hulk remains in situ to rot down. Area fairly impenetrable with nettles and branch debris.	-	-	-	
18	Aesculus hippocastanum (Horse Chestnut)	20.0m	13.0m	Over-Mature	10 + years	OVERALL CONDITION Indifferent - VITALITY Fair	No change since last inspection.	No action required	-	
19	Aesculus hippocastanum (Horse Chestnut)	20.0m	13.0m	Over-Mature	20+ years	OVERALL CONDITION Fair VITALITY Fair	No change since last inspection	No action required	-	
20	Castanea sativa (Sweet Chestnut)	22.0m	15.0m	Fully Mature	40 + years	OVERALL CONDITION Good VITALITY Good Veteran tree of great character.	No change since last inspection.	No action required	-	
21	Fagus sylvatica (Common Beech)	25.0m	14.0m	Fully Mature	40 + years	OVERALL CONDITION Good - VITALITY Good	No change since last inspection	No action required	-	
22	Castanea sativa (Sweet Chestnut)	18.0m	14.0m	Fully Mature	100+ Years	OVERALL CONDITION Good VITALITY Good	No change since last inspection.	No action required	-	
23	Castanea sativa (Sweet Chestnut)	25.0m	12.0m	Fully Mature	40 + years	OVERALL CONDITION Good - VITALITY Good	No change since last inspection.	No action required	-	
24	Castanea sativa (Sweet Chestnut)	20.0m	16.0m	Fully Mature	40 + years	OVERALL CONDITION Good VITALITY Good	No change since last inspection.	Non Urgent Works	-	
25	Tilia spp. (Lime spp)	20.0m	10.0m	Fully Mature	40 + years	OVERALL CONDITION Fair VITALITY Fair	No change since last inspection	No action required	-	
26	Tilia spp. (Lime spp)	17.0m	9.0m	Fully Mature	40 + years	OVERALL CONDITION Fair VITALITY Fair	No change since last inspection.	No action required	-	
27	Aesculus hippocastanum (Horse Chestnut)	20.0m	16.0m	Over-Mature	10 + years	OVERALL CONDITION Fair VITALITY Fair	No change since last inspection.	No action required	-	
28	Aesculus hippocastanum (Horse Chestnut)	20.0m	20.0m	Fully Mature	20+ years	OVERALL CONDITION Good VITALITY Good.	No change since last inspection.	No action required	-	
29	Aesculus hippocastanum (Horse Chestnut)	20.0m	11.0m	Fully Mature	20+ years	OVERALL CONDITION Fair VITALITY Fair Fungal activity - 2 early sign of bleeds noted at last inspection on stem 500mm from base still evident and slightly larger.	No significant change in terms of safety	No action required	-	
30	Quercus robur (English Oak)	20.0m	11.0m	Fully Mature	40 + years	OVERALL CONDITION Fair VITALITY Fair	No change since last inspection.	No action required	-	
31	Aesculus hippocastanum (Horse Chestnut)	20.0m	18.0m	Fully Mature	20+ years	OVERALL CONDITION Good VITALITY Good	No change since last inspection.	No action required	-	
32	Quercus robur (English Oak)	20.0m	11.0m	Fully Mature	40 + years	OVERALL CONDITION Good VITALITY Good Work now completed and branch structure now visible	No significant safety issues identified.	No action required	-	
33	Prunus avium (Wild Cherry)	11.0m	10.0m	Maturing	40 + years	OVERALL CONDITION Fair VITALITY Fair	No change since last inspection.	No action required	-	

Project:	Melton Playing Field and Burkes Wood: Tree Safety Assessment					Surveyed By: Mrs Ali Martin		AlisonK - Arboriculture 33 Timperleys, Hintlesham, Ipswich, IP8 3PS. T: 01473 652552 M: 07425389786 E: ali@alisonK.co.uk		
Ref:	Appendix AA: Tree schedule and recommendations - Review 2					Weather: Dull and blustery.				
Inspection Dates:	July 30th 2019					Tagged: No				
Client:	Melton Parish Council									
Tree No (T).	Species	Height (Metres)	Canopy Spread (Metres)	Age Class	SULE (Remaining life)	Tree Problems/ Condition/ Comments	Safety Significance and recommendations	Initial Works Required	Work Priority	
34	Fraxinus excelsior (Common Ash)	12.0m	10.0m	Maturing	10 + years	OVERALL CONDITION Fair VITALITY Fair Fungal activity - Dieback evident throughout crown which is now at but now only 25% crown leaf cover. (45% at last inspection) of normal. Likely to be Chalara fraxinaea. Minor dead wood	Deterioration in vitality since last inspection. Not significant in terms of safety Deadwood size not significantly large yet but may need action if rate of decline continues.	No action required	-	
35	Acer campestre (Field Maple)	10.0m	9.0m	Maturing	40 + years	OVERALL CONDITION Good VITALITY Good	No change since last inspection.	No action required	-	
36	Acer campestre (Field Maple)	12.0m	12.0m	Fully Mature	40 + years	OVERALL CONDITION Good VITALITY Good	No change since last inspection.	No action required	-	
37	Acer campestre (Field Maple)	14.0m	10.0m	Fully Mature	40 + years	OVERALL CONDITION Good VITALITY Fair	Minor deterioration in vitality. Not significant in terms of safety	No action required	-	
38	Salix alba (White Willow)	12.0m	8.0m	Over-Mature	20+ years	OVERALL CONDITION Fair VITALITY Good Needs regular reduction (about 3 yearly) to maintain and reduce risk of branch and/or tree failure.	Regrowth now extensive and 6 to seven metres long. Increasing risk of branch breaking out due to extensive weight.	Re pollard back to original pollard points.	6 Months	
39	Tilia spp. (Lime spp)	12.0m	5.0m	Maturing	40 + years	OVERALL CONDITION Good VITALITY Good	No change since last inspection.	No action required	-	
40	Tilia spp. (Lime spp)	8.0m	4.0m	Over-Mature	5+ Years	OVERALL CONDITION Good VITALITY Good. One good stem now remains following work to fell the dead stem	No significant safety issues identified.	No action required	-	
41	Tilia spp. (Lime spp)	10.0m	6.0m	Over-Mature	10 + years	OVERALL CONDITION VITALITY Poor	No change since last inspection.	No action required	-	
42	Tilia spp. (Lime spp)	9.0m	5.0m	Over-Mature	10 + years	OVERALL CONDITION Fair VITALITY Fair	No change since last inspection.	No action required	-	
43	Tilia spp. (Lime spp)	7.0m	4.0m	Over-Mature	10 + years	OVERALL CONDITION Fair VITALITY Fair	No change since last inspection.	No action required	-	
44	Tilia spp. (Lime spp)	7.0m	4.0m	Over-Mature	10 + years	OVERALL CONDITION Fair VITALITY Fair	No change since last inspection.	No action required	-	
45	Tilia spp. (Lime spp)	8.0m	6.0m	Over-Mature	10 + years	OVERALL CONDITION Fair VITALITY Fair	No change since last inspection.	No action required	-	
46	Tilia spp. (Lime spp)	12.0m	7.0m	Fully Mature	20+ years	VITALITY Fair	No change since last inspection.	No action required	-	
47	Tilia spp. (Lime spp)	8.0m	6.0m	Fully Mature	20+ years	OVERALL CONDITION Fair VITALITY Fair	No change since last inspection.	No action required	-	
48	Quercus robur (English Oak)	7.0m	6.0m	Young	20+ years	OVERALL CONDITION Fair VITALITY Fair	No change since last inspection.	No action required	-	
49	Tilia spp. (Lime spp)	8.0m	6.0m	Young	20+ years	OVERALL CONDITION Fair VITALITY Good	No change since last inspection.	No action required	-	
50	Tilia spp. (Lime spp)	4.0m	4.0m	Over-Mature	10 + years	OVERALL CONDITION Poor VITALITY Poor	deterioration since last inspection but Not significant in terms of safety.	No action required	-	
51	Tilia spp. (Lime spp)	4.0m	4.0m	Over-Mature	10 + years	OVERALL CONDITION Poor VITALITY Poor	No change since last inspection	No action required	-	

Project:	Melton Playing Field and Burkes Wood: Tree Safety Assessment					Surveyed By: Mrs Ali Martin		AlisonK - Arboriculture 33 Timperleys, Hintlesham, Ipswich, IP8 3PS. T: 01473 652552 M: 07425389786 E: ali@alisonK.co.uk		
Ref:	Appendix AA:Tree schedule and recommendations - Review 2					Weather: Dull and blustery.				
Inspection Dates:	July 30th 2019					Tagged: No				
Client:	Melton Parish Council									
Tree No (T).	Species	Height (Metres)	Canopy Spread (Metres)	Age Class	SULE (Remaining life)	Tree Problems/ Condition/ Comments	Safety Significance and recommendations	Initial Works Required	Work Priority	
52	Tilia spp. (Lime spp)	8.0m	6.0m	Fully Mature	20+ years	OVERALL CONDITION Fair VITALITY Fair	No change since last inspection.	No action required	-	
53	Tilia spp. (Lime spp)	4.0m	4.0m	Over-Mature	10 + years	OVERALL CONDITION Poor VITALITY Poor	No change since last inspection.	No action required	-	
54	Tilia spp. (Lime spp)	7.0m	3.0m	Young	100+ Years	OVERALL CONDITION Good VITALITY Good	No change since last inspection.	No action required	-	
55	Tilia spp. (Lime spp)	65.0m	6.0m	Over-Mature	20+ years	OVERALL CONDITION Fair VITALITY Fair	No change since last inspection.	No action required	-	
56	Tilia spp. (Lime spp)	5.0m	3.0m	Young	100+ Years	OVERALL CONDITION Good VITALITY Good A young tree with future potential - C	No change since last inspection.	No action required	-	
57	Tilia spp. (Lime spp)	6.5m	5.0m	Over-Mature	20+ years	OVERALL CONDITION Fair VITALITY Fair	No change since last inspection.	No action required	-	
58	Tilia spp. (Lime spp)	7.0m	6.0m	Young	100+ Years	OVERALL CONDITION Good VITALITY Good	No change since last inspection.	No action required	-	
59	Tilia spp. (Lime spp)	10.0m	5.0m	Young	100+ Years	OVERALL CONDITION Good VITALITY Good	No change since last inspection.	No action required	-	
60	Tilia spp. (Lime spp)	5.0m	4.0m	Over-Mature	20+ years	OVERALL CONDITION Fair VITALITY Fair	No change since last inspection.	No action required	-	
61	Tilia platyphyllos (Large-leaved Lime)	9.0m	5.0m	Over-Mature	20+ years	OVERALL CONDITION Fair VITALITY Fair	No change since last inspection.	No action required	-	
62	Tilia spp. (Lime spp)	9.0m	5.0m	Over-Mature	20+ years	OVERALL CONDITION Fair VITALITY Fair	No change since last inspection.	No action required	-	
63	Tilia spp. (Lime spp)	9.0m	5.0m	Over-Mature	20+ years	OVERALL CONDITION Fair VITALITY Fair -	Heavily seeding but no further deterioration since last inspection.	No action required	-	
64	Quercus robur (English Oak)	18.0m	18.0m	Fully Mature	40 + years	OVERALL CONDITION Good VITALITY Good	No change since last inspection.	No action required	-	
65	Fraxinus excelsior (Common Ash)	16.0m	18.0m	Fully Mature	10 + years	OVERALL CONDITION Fair VITALITY Fair Fungal activity - Slightly more signs of Chalara. Only minor twiggy dieback evident however crown leaf cover varies on individual stems from between 50 & 80%.	Deteriorated since last inspection however not currently significant in terms of safety. Plan to replant in event of removal.	No action required	-	
66	Quercus robur (English Oak)	10.0m	9.0m	Maturing	100+ Years	OVERALL CONDITION Good VITALITY Good	No change since last inspection	No action required	-	
67	Quercus robur (English Oak)	10.0m	9.0m	Maturing	100+ Years	OVERALL CONDITION Good VITALITY Good Increasing in size and stature and crown now upright and dominant over T 68	Improvement in form since last inspection	No action required	-	
68	Quercus robur (English Oak)	8.0m	6.0m	Maturing	100+ Years	OVERALL CONDITION Good VITALITY Good	No change since last inspection.	No action required	-	

Project:	Melton Playing Field and Burkes Wood: Tree Safety Assessment					Surveyed By: Mrs Ali Martin	AlisonK - Arboriculture 33 Timperleys, Hintlesham, Ipswich, IP8 3PS. T: 01473 652552 M: 07425389786 E: ali@alisonK.co.uk		
Ref:	Appendix AA: Tree schedule and recommendations - Review 2					Weather: Dull and blustery.			
Inspection Dates:	July 30th 2019					Tagged: No			
Client:	Melton Parish Council								
Tree No (T).	Species	Height (Metres)	Canopy Spread (Metres)	Age Class	SULE (Remaining life)	Tree Problems/ Condition/ Comments	Safety Significance and recommendations	Initial Works Required	Work Priority
69	Quercus rubra (Red Oak)	12.0m	11.0m	Maturing	10 + years	OVERALL CONDITION Poor VITALITY Poor Minor dead wood - Showing signs of dieback with dead branches up to 100mm diameter. Twin stemmed form - From ground. Union sound.	Crown now dying back. Deteriorated since last inspection. Plan for removal and replacement planting.	No action required	-
70	Acer platanoides (Norway Maple)	11.0m	14.0m	Fully Mature	5+ Years	OVERALL CONDITION Indifferent - VITALITY Fair Phytophthora still evident and spanning 50% of the tree base and up the stem for around 2 metres.	No change since last inspection however long term prognosis likely to mean need for removal.	No action required	-
71	Acer platanoides (Norway Maple)	0	1.0m		-	Dead/dying tree now felled as recommended in last report.	Work completed.	-	-
72	Quercus robur (English Oak)	8.0m	5.0m	Young	100+ Years	Asymmetric crown - very One sided canopy due to proximity of adjacent oak tree OVERALL CONDITION Good VITALITY Good	Loosing dominance with adjacent tree.	No action required	-
73	Quercus robur (English Oak)	8.0m	5.0m	Young	20+ years	OVERALL CONDITION Good VITALITY Good - most Dominant of the three trees even though in the middle position. Dominating young oaks either side.	No change since last inspection	No action required	-
74	Quercus robur (English Oak)	6.0m	5.0m	Young	100+ Years	OVERALL CONDITION Fair VITALITY Fair Asymmetric crown - One sided canopy and leaning stem due to close proximity (within 2m) of more dominant adjacent oak tree.	Loosing dominance with adjacent tree.	No action required	-
75	Quercus robur (English Oak)	8.0m	7.0m	Young	100+ Years	OVERALL CONDITION Fair VITALITY fair Young tree of not particularly good form but part of group of oaks developing along this dryer edge of the rough ground and mown grass.	No change since last inspection	No action required	-
76	Quercus robur (English Oak)	10.0m	8.0m	Young	100+ Years	OVERALL CONDITION Good - VITALITY Good	Condition improved since last inspection.	No action required	-
77	Quercus robur (English Oak)	17.0m	12.0m	Maturing	100+ Years	OVERALL CONDITION Good - VITALITY Good.	No change since last inspection.	No action required	-
78	Acer pseudoplatanus (Sycamore)	15.0m	10.0m	Young	40 + years	OVERALL CONDITION Good - Included bark union stable and supported by natural branching of branches in upper crown VITALITY Good.	Condition improved since last inspection.	No action required	-
79	Quercus robur (English Oak)	8.0m	8.0m	Young	100+ Years	OVERALL CONDITION Good VITALITY Good A tree of low quality - C	No change since last inspection.	No action required	-
80	Quercus robur (English Oak)	10.0m	10.0m	Maturing	100+ Years	OVERALL CONDITION Good VITALITY Good	No change since last inspection.	No action required	-
81	Salix babylonica (Weeping Willow)	2.0m	2.0m	Fully Mature	5+ Years	Felled as recommended in last inspection.	Looks to be regrown from cut stump but no access as undergrowth so dense.	No action required	-

Project:	Melton Playing Field and Burkes Wood: Tree Safety Assessment					Surveyed By: Mrs Ali Martin	AlisonK - Arboriculture 33 Timperleys, Hintlesham, Ipswich, IP8 3PS. T: 01473 652552 M: 07425389786 E: ali@alisonK.co.uk		
Ref:	Appendix AA: Tree schedule and recommendations - Review 2					Weather: Dull and blustery.			
Inspection Dates:	July 30th 2019					Tagged: No			
Client:	Melton Parish Council								
Tree No (T).	Species	Height (Metres)	Canopy Spread (Metres)	Age Class	SULE (Remaining life)	Tree Problems/ Condition/ Comments	Safety Significance and recommendations	Initial Works Required	Work Priority
82	Quercus robur (English Oak)	15.0m	16.0m	Veteran	20+ years	OVERALL CONDITION Dead. Tree on adjoining land in Hutchins Meadow. Now dead but branch structure mostly meadow side and very little risk currently of whole tree failure.	Very unlikely to be a safety issue	No action required	-
83	Quercus robur (English Oak)	9.0m	12.0m	Young	100+ Years	OVERALL CONDITION Good VITALITY Good	No change since last inspection.	No action required	-
84	Acer pseudoplatanus (Sycamore)	18.0m	7.0m	Maturing	40 + years	OVERALL CONDITION Good VITALITY Good	No change since last inspection.	No action required	-
85	Acer pseudoplatanus (Sycamore)	19.0m	10.0m	Fully Mature	40 + years	OVERALL CONDITION Good VITALITY Good	No change since last inspection.	No action required	-
86	Acer pseudoplatanus (Sycamore)	19.0m	9.0m	Maturing	40 + years	OVERALL CONDITION Good VITALITY Good	No change since last inspection.	No action required	-
87	Quercus robur (English Oak)	10.0m	13.0m	Maturing	100+ Years	OVERALL CONDITION Good VITALITY Good	No change since last inspection.	No action required	-
88	Prunus avium (Wild Cherry)	10.0m	8.0m	Maturing	20+ years	OVERALL CONDITION Good VITALITY Fair	Minor deterioration in vitality. Not significant in terms of safety.	No action required	-
89	Prunus avium (Wild Cherry)	10.0m	6.0m	Maturing	10 + years	OVERALL CONDITION Fair VITALITY Poor	No change since last inspection.	No action required	-
90	Prunus avium (Wild Cherry)	11.0m	10.0m	Maturing	20+ years	OVERALL CONDITION Fair VITALITY Good	No change since last inspection.	No action required	-
91	Ulmus spp. (Elm spp)	10.0m	3.0m	Young	10 + years	OVERALL CONDITION Good VITALITY Good	No change since last inspection.	No action required	-
92	Ulmus spp. (Elm spp)	10.0m	3.0m	Young	10 + years	OVERALL CONDITION Good VITALITY Good	No change since last inspection.	No action required	-
93	Prunus avium (Wild Cherry)	10.0m	8.0m	Maturing	20+ years	OVERALL CONDITION Fair VITALITY Fair	Minor deterioration in vitality. Not significant in terms of safety	No action required	-
94	Fagus sylvatica (Common Beech)	12.0m	8.0m	Maturing	40 + years	OVERALL CONDITION Good VITALITY Good	No change since last inspection.	No action required	-
95	Fagus sylvatica (Common Beech)	11.0m	7.0m	Young	40 + years	OVERALL CONDITION Good VITALITY Good	No change since last inspection.	No action required	-
96	Prunus avium (Wild Cherry)	10.0m	13.0m	Fully Mature	40 + years	OVERALL CONDITION Good VITALITY Fair	Minor deterioration in vitality. Not significant in terms of safety	No action required	-
97	Prunus avium (Wild Cherry)	10.0m	15.0m	Fully Mature	40 + years	Minor dead wood OVERALL CONDITION Good VITALITY Fair	Minor deterioration in vitality. Not significant in terms of safety.	No action required	-
98	Sorbus aucuparia (Rowan)	7.0m	6.0m	Maturing	5+ Years	OVERALL CONDITION Indifferent VITALITY Poor	No change since last inspection. Decline slow and no action necessary	No action required	-
99	Prunus avium (Wild Cherry)	12.0m	14.0m	Fully Mature	40 + years	OVERALL CONDITION Good VITALITY Good	No change since last inspection	No action required	-

Project:	Melton Playing Field and Burkes Wood: Tree Safety Assessment					Surveyed By: Mrs Ali Martin		AlisonK - Arboriculture 33 Timperleys, Hintlesham, Ipswich, IP8 3PS. T: 01473 652552 M: 07425389786 E: ali@alisonK.co.uk		
Ref:	Appendix AA: Tree schedule and recommendations - Review 2					Weather: Dull and blustery.				
Inspection Dates:	July 30th 2019					Tagged: No				
Client:	Melton Parish Council									
Tree No (T).	Species	Height (Metres)	Canopy Spread (Metres)	Age Class	SULE (Remaining life)	Tree Problems/ Condition/ Comments	Safety Significance and recommendations	Initial Works Required	Work Priority	
100	Malus spp. (Apple spp)	7.0m	6.0m	Maturing	10 + years	OVERALL CONDITION Fair VITALITY Fair	No change since last inspection	No action required	-	
101	Malus spp. (Apple spp)	7.0m	6.0m	Maturing	10 + years	OVERALL CONDITION Fair VITALITY Fair	No change since last inspection	No action required	-	
102	Acer pseudoplatanus (Sycamore)	22.0m	14.0m	Fully Mature	20+ years	OVERALL CONDITION Fair VITALITY Fair	No change since last inspection.	No action required	-	
103	Tilia cordata (Small-leaved Lime)	20.0m	9.0m	Fully Mature	40 + years	OVERALL CONDITION Good VITALITY Good Work to remove deadwood recommended in last report completed	No change since last inspection.	No action required	-	
104	Tilia spp. (Lime spp)	25.0m	9.0m	Fully Mature	40 + years	OVERALL CONDITION Good VITALITY Good	No change since last inspection.	No action required	-	
105	Tilia spp. (Lime spp)	20.0m	12.0m	Fully Mature	40 + years	OVERALL CONDITION Good VITALITY Good	No change since last inspection.	No action required	-	
106	Tilia spp. (Lime spp)	20.0m	13.0m	Fully Mature	40 + years	OVERALL CONDITION Good VITALITY Good	No change since last inspection.	No action required	-	
107	Tilia spp. (Lime spp)	20.0m	12.0m	Fully Mature	40 + years	OVERALL CONDITION Good VITALITY Good	No change since last inspection.	No action required	-	
108	Tilia spp. (Lime spp)	20.0m	12.0m	Fully Mature	40 + years	OVERALL CONDITION Good VITALITY Good	No change since last inspection.	No action required	-	
109	Castanea sativa (Sweet Chestnut)	25.0m	15.0m	Fully Mature	40 + years	OVERALL CONDITION Good VITALITY Good	No change since last inspection.	No action required	-	
110	Pinus sylvestris (Scots Pine)	20.0m	8.0m	Fully Mature	20+ years	OVERALL CONDITION Good VITALITY Fair	No change since last inspection.	No action required	-	
111	Castanea sativa (Sweet Chestnut)	18.0m	16.0m	Fully Mature	40 + years	OVERALL CONDITION Good VITALITY Good	No change since last inspection.	No action required	-	
112	Quercus robur (English Oak)	20.0m	11.0m	Fully Mature	40 + years	OVERALL CONDITION Indifferent VITALITY Poor	No change since last inspection.	No action required	-	
113	Acer pseudoplatanus (Sycamore)	0	1.0m	-	-	Felled as recommended in last inspection. Stump remains and showing signs of some regrowth (although deer browsed)	Work completed	No action required	-	
114	Acer pseudoplatanus (Sycamore)	0	1.0m	Fully Mature	20+ years	Felled as recommended in last inspection. Stump remains and showing signs of some regrowth (although deer browsed)	Work completed	No action required	-	
115	Acer pseudoplatanus (Sycamore)	0	1.0m	Maturing	<5 Years	Felled as recommended in last inspection. Stump remains and showing signs of some regrowth (although deer browsed)	Work completed	No action required	-	
116	Betula pubescens (Downy Birch)	0	1.0m	Maturing		Felled as recommended in last inspection.	Work completed	No action required	-	
117	Quercus robur (English Oak)	0	1.0m	Maturing		Felled as recommended in last inspection.	Work completed	No action required	-	
118	Salix alba 'Caerulea' (Cricket bat Willow(CBW))	15.0m	10.0m	Maturing	10 + years	First inspection. OVERALL CONDITION Good VITALITY Good One of 4 last remaining larger CBW before removal of crop in 2017. At 500mm dia these may be worth harvesting for a small income.	-	No action required	-	

Project:	Melton Playing Field and Burkes Wood: Tree Safety Assessment					Surveyed By: Mrs Ali Martin		AlisonK - Arboriculture 33 Timperleys, Hintlesham, Ipswich, IP8 3PS. T: 01473 652552 M: 07425389786 E: ali@alisonK.co.uk		
Ref:	Appendix AA: Tree schedule and recommendations - Review 2					Weather: Dull and blustery.				
Inspection Dates:	July 30th 2019					Tagged: No				
Client:	Melton Parish Council									
Tree No (T).	Species	Height (Metres)	Canopy Spread (Metres)	Age Class	SULE (Remaining life)	Tree Problems/ Condition/ Comments	Safety Significance and recommendations	Initial Works Required	Work Priority	
119	Acer pseudoplatanus (Sycamore)	15.0m	8.0m	Maturing	20+ years	OVERALL CONDITION Fair VITALITY Fair Light ivy covering	There are no safety issues with this tree however removal is likely to benefit the veteran oak T2 be reduce competition around it.	Desirable	Non urgent	
120	Acer pseudoplatanus (Sycamore)	15.0m	10.0m	Maturing	20+ years	OVERALL CONDITION Fair VITALITY Fair	as with T119 above	Desirable	Non urgent	
121	Acer pseudoplatanus (Sycamore)	22.0m	8.0m	Fully Mature	<5 Years	OVERALL CONDITION Poor VITALITY Poor First inspection. Twin stemmed tree from ground. One of the approx. 400mm dia stems is dead/dying with decay and bark death evident at base. Rest in one of its forks at 8m. this is a snapped off branch 10m long. Tree protected from elements by other trees so risk of failure not imminent but tree needs making safe in the long term.	Tree with serious defects at base increased risk of failure.	Fell to ground level - Fell to ground level and stack all arisings neatly in habitat piles away from foot path.	6 Months	
122	Salix alba 'Caerulea' (Cricket bat Willow (CBW))	15.0m	10.0m	Maturing	10 + years	First inspection. Not noticed through dense undergrowth before. OVERALL CONDITION Good VITALITY Good One of larger last remaining CBW before removal of crop in 2017. Once the stem diameter is 500mm dia these may be worth harvesting for a small income	-	No action required	-	
123	Quercus robur (English Oak)	8.0m	9.0m	Over-Mature	10 + years	First inspection. OVERALL CONDITION Indifferent - Asymmetric crown - Completely one sided crown with historic loss of central stem. due to proximity of adjacent trees. Only has one live branch which extends to the edge of the neighbouring property. unlikely to fail or cause damage if it did fail. VITALITY Poor	Very in assessable area, very unlikely to cause damage if it failed and therefore not significant in terms of safety.	No action required	-	
124	Quercus robur (English Oak)	10.0m	9.0m	Maturing	100+ Years	First inspection. OVERALL CONDITION Good VITALITY Good	Not significant in terms if safety.	No action required	-	
125	Quercus robur (English Oak)	10.0m	9.0m	Maturing	100+ Years	First inspection. OVERALL CONDITION Good VITALITY Good Asymmetric crown - One sided canopy due to proximity of adjacent oak tree	Not significant in terms if safety.	No action required	-	
126	Quercus robur (English Oak)	10.0m	9.0m	Maturing	100+ Years	First inspection. OVERALL CONDITION Good VITALITY Good Asymmetric crown - One sided canopy due to proximity of adjacent oak tree	Not significant in terms if safety.	No action required	-	
127	Pinus sylvestris (Scots Pine)	20.0m	5.0m	Fully Mature	20+ years	First inspection. Not spotted in previous assessment in beech leaves. Very tall slender pine. Has seam wound down stem. Suggests possible of lightning strike wound. OVERALL CONDITION Fair VITALITY Fair - Slowing with its great age.	Not significant in terms if safety.	No action required	-	