

Project:	Adopted sites: Bury Hill (100751) & (10751-03): Tree safety assessment					Surveyed by: Mrs Alice Martin		<p style="text-align: center;">AlisonK - Arboriculture 33 Timperleys, Hintlesham, Ipswich, IP8 3PS. T: 01473 652552 M: 07425389786 E: ali@alisonK.co.uk</p>		
Ref:	Appendix B3: Schedule of trees, work recommendations and priority timescales.					Weather: High cloud with occasionally blustery wind				
Survey Date:	19th February 2021					Tagged: No				
Client:	Melton Parish Council									
		Estimated (metres)								
Tree/Gp Number	Species	Height	Crown Spread	Life Expectancy (years)	Age Class.	Tree Problems/Comments.	Safety significance and recommendations	Work required on safety grounds	Work Priority	
1	Pillar Apple (Malus tschonoskii)	11.0m	4.0m	40 + years	Young	OVERALL CONDITION Good - Tight ascending branch structure from 2.5m typical of species.	No significant safety issues.	No work required	-	
2	Silver Birch (Betula pendula)	15.0m	7.0m	40 + years	Fully Mature	OVERALL CONDITION Good form with no visible problems	No significant safety issues	No work required	-	
3	Scots pine (Pinus sylvestris)	14.0m	4.0m	40 + years	Maturing	OVERALL CONDITION Fair - Narrow one-sided crown and stem lean towards road, probably grown that way when the two (now removed) birch were dominant. 100mm diameter secondary stem approx. 120mm diameter historically removed at .5m.	Low branch removal not significant in terms of tree safety.	No work required		
4	Scots Pine (Pinus sylvestris)	14.0m	4.0m	40 + years	Maturing	OVERALL CONDITION Fair - A little more upright and less one-sided crown than its neighbour tree No3.	No significant safety issues.	No work required	-	
5	Norway maple - Purple leaved variety. (Acer platanoides Var. Purpurea)	12.0m	7.0m	40 + years	Maturing	OVERALL CONDITION Fair - Minor deadwood and slightly sparse crown.	No significant safety issues.	No work required		
6	Norway maple - Purple leaved variety. (Acer platanoides Var. Purpurea)	12.0m	8.0m	40 + years	Maturing	OVERALL CONDITION Fair - Minor deadwood and slightly sparse crown.	No significant safety issues.	No work required	-	
7	Norway maple - Purple leaved variety. (Acer platanoides Var. Purpurea)	12.0m	10.0m	40 + years	Maturing	OVERALL CONDITION Fair - Minor deadwood and slightly sparse crown.	No significant safety issues	No work required	-	

Project:	Adopted sites: Bury Hill (100751) & (10751-03): Tree safety assessment					Surveyed by: Mrs Alice Martin		<p style="text-align: center;">AlisonK - Arboriculture 33 Timperleys, Hintlesham, Ipswich, IP8 3PS. T: 01473 652552 M: 07425389786 E: ali@alisonK.co.uk</p>		
Ref:	Appendix B3: Schedule of trees, work recommendations and priority timescales.					Weather: High cloud with occasionally blustery wind				
Survey Date:	19th February 2021					Tagged: No				
Client:	Melton Parish Council									
		Estimated (metres)								
Tree/Gp Number	Species	Height	Crown Spread	Life Expectancy (years)	Age Class.	Tree Problems/Comments.	Safety significance and recommendations	Work required on safety grounds	Work Priority	
8	Norway maple - Purple leaved variety. (Acer platanoides Var. Purpurea)	13.0m	6.0m	40 + years	Maturing	OVERALL CONDITION Fair - Minor deadwood and slightly suppressed under crown of more dominant trees adjacent.	No significant safety issues	No work required	-	
9	Norway maple - Purple leaved variety. (Acer platanoides Var. Purpurea)	10.0m	13.0m	40 + years	Maturing	OVERALL CONDITION Fair - Wider than it is tall with Low wide spreading branch structure. Tree with dense twiggy growth and minor deadwood through centre crown. Tarmac kick around area within 3 metres of tree, has recently patched - probably due to root lifting tarmac.	No significant safety issues. Detail of patching of tarmac surface unknown. If roots have been severed in repair work a small area such as this is unlikely to have detrimental effect on immediate tree health tree safety.	No work required	-	