

If Rating=Very low / Low
No further action – ensure controls are maintained
If Rating=Medium
Look to improve by next review if reasonably practicable

If Rating=High

Look to improve within specified timescale

If Rating=Very High

Stop activities and make immediate improvements

## **Risk Assessment Form**

Site	Assessor(s)	Approved by
Melton Road Playing Field, Melton	P Alder	W Grosvenor
	P Donoghue	
Activity Assessed	Date compiled	Version
COVID-19 Play Areas	12/04/2021	2

Government has advised that outdoor play areas and gyms may re-open from 4 July 2020 and have issued guidance <a href="https://www.gov.uk/government/publications/covid-19-guidance-for-managing-playgrounds-and-outdoor-gyms/covid-19-guidance-for-managing-playgrounds-and-outdoor-gyms">https://www.gov.uk/government/publications/covid-19-guidance-for-managing-playgrounds-and-outdoor-gyms</a>. The guidance states that owners and operators must work together to undertake a risk assessment to ensure that measures have been considered relating to covid-19 and the re-opening of play areas following an extended period of closure.

The guidance also states owners and operator have discretion over when to open and may decide to keep areas closed should they feel they are not able to facilitate their safe usage. There is public expectation that play spaces are formally re-opened, indeed some play areas have seen use during lockdown. It is not practical for play spaces to remain closed as users will force their way onto site regardless of any advice or measures in place, potentially creating other hazards and general nuisance.

What are the hazards? Risk of potential COVID-19 transmission to users of the equipment such as children, parents, guardians and carers, as well as staff tasked with the maintenance or cleaning of equipment and play spaces. Owners and operators should do everything reasonably practicable to minimise risks recognising that it is not possible to completely eliminate the risk of COVID-19. It is public knowledge that children are at lower risk of developing covid-19 but can spread the virus.

The guidance also refers to the HSE promoting a balanced approach to children's play and leisure <a href="https://www.hse.gov.uk/entertainment/childrens-play-july-2012.pdf">https://www.hse.gov.uk/entertainment/childrens-play-july-2012.pdf</a> — this states

- Play is important for children's well-being and development
- When planning and providing play opportunities, the goal is not to eliminate risk, but to weigh up the risks and benefits
- Those providing play opportunities should focus on controlling the real risks, while securing or increasing the benefits not on the paperwork
- Accidents and mistakes happen during play but fear of litigation and prosecution has been blown out of proportion



If Rating=Very low / Low

No further action – ensure controls are maintained

If Rating=Medium

Look to improve by next review if reasonably practicable

If Rating=High

Look to improve within specified timescale

If Rating=Very High

Ref No.	Hazards Associated with the Location, Equipment or Activity	Persons Affected (User, visitor, contractor, public)	How They Might be Harmed (Risk)	Initial Risk Rating	Existing Control Measures	Residual Risk Rating	Additional Risk Controls Required (Ensure all actions are placed on the action plan and these actions completed in a specified time frame)
1	General Maintenance and Inspection of Play Equipment	Members of public and staff	Defects with equipment that could cause harm through slip, trips, falls and contact with damaged equipment		Routine inspections have continued throughout lock down and defects attended to as per normal existing arrangements.  Annual independent inspections are to be completed in July by the Play Inspection Company. Any new defects will be assessed, made safe and works completed as required. All visits and works undertaken will adhere to social distancing requirements.		The likelihood of an accident remains low and there is nothing further that can practically be done to reduce the potential severity of any injury.
2	Contact with COVID- 19 infected persons - Social Distancing	Members of public and staff	Exposure to air born Covid-19		Introduction of signage to warn users of the potential risk and to maintain social distancing whilst using the facilities including the supervision of young children. Due to the free access to spaces and the irregular configuration of equipment it is not practical to introduce any form of distancing control measures without significant impact on the benefits of allowing children to play. Staff will also adhere to all COVID measure implemented and only undertake works and inspections whilst maintaining a minimum distance of 2m, barriers will be used as and when required.		Ensure that signage remains in place by way of routine inspections.
3	Contact with COVID- 19 on surfaces and equipment	Members of public and staff	Exposure to surface		Suitable signage to be in place advising users that there is a risk of contaminated surfaces and materials and that the		Ensure that signage remains in place by way of routine inspections.



If Rating=Very low / Low

No further action – ensure controls are maintained

If Rating=Medium

Look to improve by next review if reasonably practicable

If Rating=High

Look to improve within specified timescale

If Rating=Very High

			contaminated by Covid-19	equipment is not routinely Government advice is that survive for several days on surfaces and that these risk when outdoors where surfaces subjected to UV light and/o is potential for transmission touched surfaces. Signage all users maintain high level wash/clean hand before an equipment and that childres to avoid touching their mouhands.	the virus can some hard as are reduced aces may be or rain but there n on frequently is to advise that els of hygiene and and after using en are supervised	
4	Contaminated waste material	Members of the public and staff	Waste material potential contaminated with Covid-19	Potential for contamination materials including food patissues etc. and bins. All usencouraged via to user little provided/take litter home astandards of hygiene. Staff and collecting litter to follo procedures and Covid enhawaste may include face congloves. Potential for waste normal levels, to be monitoradditional visits to be arranged.	ackaging and sers are to be er bins and maintain high femptying bins aw existing ancements. Everings and elevels to exceed pred and	Ensure that signage remains in place by way of routine inspections. Undertake additional bin provision and litter picking as required. Provide staff with protective equipment where necessary.
5	Additional advice relating to COVID 19 exposure and prevention	Members of public	Exposure to covid-19	Remind all users by signage equipment at their own rish consuming food and drink it to the associated risk of experience by direct hand to moup PPE home or dispose of the provided.	k. Refrain from in play areas due posure to the uth contact. Take	Ensure that signage remains in place by way of routine inspections.



If Rating=Very low / Low

No further action – ensure controls are maintained

If Rating=Medium

Look to improve by next review if reasonably practicable

If Rating=High

Look to improve within specified timescale

If Rating=Very High

				A noticeboard will be erected by the
				playpark gate with advice signage.
6	Routine cleaning of play equipment by way of spillage etc	Staff	Exposure to covid-19	No regular cleaning will be carried out. Any cleaning of equipment will only be undertaken as per normal operational conditions eg when required due to reported spillages, graffiti etc. Staff will follow Covid practices, will wear protective gloves and if spray and splash is likely to be created then a face mask will be worn. Cleaning activities only to be undertaken when there are no public nearby.
7	Visitor numbers – social distancing	Members of the public	Exposure to covid-19	The play park can attract several users/visitors at any one time. Many visitors will attend in family groups and we should be aware that different social distancing guidance will apply. Clear signage will be introduced to remind users to maintain social distancing as per government guidelines and this should include visual indicators as well as text. There may be an initial surge of users attending any site particularly if the weather is favourable, however it is anticipated that normal levels of use will return quickly. Maximum number of persons in the play area at any one time is set to 20.
8	Specific changes to equipment	Members of public	Exposure to covid-19	Benches and tables – signage will be placed on benches reminding users to maintain social distancing.  Swings – 2 inner swings will be removed from 4-swing set to create greater social  Ensure that signage remains in place by way of routine inspections and fencing closing off equipment remains in place.



## MELTON PARISH COUNCIL

Risk rating scoring matrix

If Rating=Very low / Low

No further action – ensure controls are maintained

If Rating=Medium

Look to improve by next review if reasonably practicable

If Rating=High

Look to improve within specified timescale

If Rating=Very High

distancing. 1 swing will be removed from 2-	
swing set.	Climbing frame (Multiplay
Slide –2m queuing distance marker to be	Junior) will no longer be
added. 1 user at a time, do not queue on	closed and fenced off.
stairs	Signage is repeatedly
Roundabout – 1 user/household at a time	removed and the fencing is
Supanova – 1 user/household at a time	torn down making it
Spinnerbowl – 1 user at a time	impossible to enforce. As
Seesaw – 1 child per side, max 2 users at a	restrictions are easing and
time	covid cases are falling it
Multiplay senior – 2 users at a time	seems sensible to reopen.
Nest swing – 1 user at a time	Should restrictions be
Zip wire – 1 user at a time	reinstated consideration will
Close off top gate and allow entry/exit	be given to closing off this
through bottom gate. It is hoped that this	equipment again.
will encourage users to take notice of the	
new signage that will be placed by this gate	