

Project:	Tree safety assessment Coppice Close & corner of Saxon Way					Surveyed by: Mrs Alice Martin-Bulter		<div>AlisonK - Arboriculture</div> <div>33 Timperleys, Hintlesham, Ipswich, IP8 3PS.</div> <div>T: 01473 652552</div> <div>M: 07425389786</div> <div>E: ali@alisonK.co.uk</div>		
Ref:	Appendix B4. REVIEW1: Schedule of trees, work recommendations and priority timescales.					Weather: Fine and dry.				
Survey Date:	12th September 2022					Notes: 1: Comments and updates from latest survey are shown in blue. 2: Identifying trees for work on site: Trees have been marked with an orange spray mark discreetly at base of tree or on ivy stem.				
Client:	Melton Parish Council									
		Estimated (metres)								
Tree/Gp Number	Species	Height	Crown Spread	Life Expectancy (years)	Age Class.	Tree Problems/Comments.	Safety significance and recommendations	Work required on safety grounds	Work Priority	
Site	Coppice Close									
G1	Mixed Broadleaves	–	–	40 +years	Various	OVERALL CONDITION Good. Not any change in condition since last inspection. Garden debris still being dumped over the boundary with No1. 1 young dead goat willow. Not likely to fail nor in a location where it is likely to cause damage if it did fail.	No significant safety issues however lower area of new planting would benefit from active woodland management.	No action required	–	
Site	Corner of Coppice Close and Saxon Way									
G2	Mixed Broadleaves	–	–	40 + years	Young/maturing	OVERALL CONDITION Good. No change in condition since last inspection. Sycamores still being trimmed back over the boundaries where they adjoin gardens . Evidence of garden rubbish/debris still being dumped.	No significant safety issues.	No action required	–	
1	Acer pseudoplatanus (Sycamore)	17.0m	11.0m	40 + years	Fully Mature	OVERALL CONDITION Fair- Tree growth slowing with age. Condition structure now reduced to Fair. Minor deadwood present. Vitality reduced with leaf size smaller towards top of tree.	No significant safety issues	No action required	–	
2	Castanea sativa (Sweet Chestnut)	17.0m	11.0m	40 + years	Fully Mature	OVERALL CONDITION Good. No change in condition since last inspection.	No significant safety issues.	No action required	–	
3	Acer pseudoplatanus (Sycamore)	17.0m	8.0m	40 + years	Fully Mature	OVERALL CONDITION Good - Base mostly visible through brambles. Visible parts looks sound. No change in condition since last inspection.	No significant safety issues.	No action required	–	
4	Castanea sativa (Sweet Chestnut)	17.0m	12.0m	40 + years	Fully Mature	OVERALL CONDITION Good - No change in condition since last inspection.	No significant safety issues.	No action required	–	
5	Fagus sylvatica (Common Beech)	17.0m	12.0m	40 + years	Fully Mature	OVERALL CONDITION Good - Tree remains in good condition since last inspection. Vitality good with dense healthy leaf cover.	No significant safety issues	No action required	–	