

| | | | | | | | | | | |
|----------------|--|--------------------|--------------|-------------------------|--------------|---|--|---|--|-----------------|
| Project: | Tree safety assessment <div>Way</div> <div>Saxon</div> | | | | | Surveyed by: Mrs Alice Martin-Butler | | <div>AlisonK - Arboriculture</div> <div>33 Timperleys, Hintlesham, Ipswich, IP8 3PS.</div> <div>T: 01473 652552</div> <div>M: 07425389786</div> <div>E: ali@alisonK.co.uk</div> | | |
| Ref: | Appendix B7. REVIEW1: Schedule of trees, work recommendations & priority timescales. | | | | | Weather: Fine and dry. | | | | |
| Survey Date: | 14th & 22nd September 20222 | | | | | <div>Notes:</div> <div>1: Comments and updates from latest survey are shown in blue.</div> <div>2: Identifying trees for work on site: Trees have been marked with an orange spray mark discreetly at base of tree or on ivy stem.</div> <div>3: Some trees contained in this schedule are covered by TPO 25.</div> | | | | |
| Client: | Melton Parish Council | | | | | | | | | |
| | | Estimated (metres) | | | | | | | | |
| Tree/Gp Number | Species | Height | Crown Spread | Life Expectancy (years) | Age Class. | Tree Problems/Comments. | | Safety significance and recommendations | Work required on safety grounds | Work Priority |
| 1 | Quercus robur (English Oak) | 15.0m | 8.0m | 40 + years | Fully Mature | OVERALL CONDITION Good - Condition Good. Ivy management successfully completed and tree structure visible and sound. | | No significant safety issues | No action required | — |
| 2 | Quercus robur (English Oak) | 12.0m | 6.0m | 40 + years | Young | OVERALL CONDITION Fair -No change in condition since last inspection. | | No significant safety issues | No action required | — |
| 3 | Pinus spp. (Pine spp) | 18.0m | 6.0m | 10 + years | Fully Mature | OVERALL CONDITION Fair - Work to remove dead branch completed. No change in condition since last inspection. | | No significant safety issues | No action required | — |
| 4 | Quercus robur (English Oak) | 15.0m | 9.0m | 40 + years | Fully Mature | OVERALL CONDITION Good - No change in condition since last inspection. | | No significant safety issues | No action required | — |
| 5 | Pinus spp. (Pine spp) | 18.0m | 6.0m | 10 + years | Over-Mature | OVERALL CONDITION Fair - No change in condition since last inspection. | | No significant safety issues | No action required | — |
| 6 | Acer pseudoplatanus (Sycamore) | 16.0m | 10.0m | 20+ years | Maturing | OVERALL CONDITION Fair - Ivy management successfully completed and tree structure now visible and sound. | | No significant safety issues | No action required | — |
| 7 | Acer pseudoplatanus (Sycamore) | 16.0m | 4.0m | 10 + years | Maturing | OVERALL CONDITION Indifferent -Ivy management successfully completed and tree structure visible and sound. | | Tree still Indifferent in terms of condition however not significant in terms of safety. | No action required | — |
| 8 | Quercus robur (English Oak) | 16.0m | 10.0m | 40 + years | Fully Mature | OVERALL CONDITION Good - .No change in condition since last inspection. | | No significant safety issues | No action required | — |
| 9 | Acer pseudoplatanus (Sycamore) | 16.0m | 4.0m | 10 + years | Maturing | OVERALL CONDITION Poor - Ivy management successfully completed. Confirmation that very little of tree is alive, it appears to be dying. | | Tree in very poor condition. In this location need to be felled. | Fell to ground level and stack arising on site | Within 6 months |
| 10 | Acer pseudoplatanus (Sycamore) | 14.0m | 5.0m | 20+ years | Maturing | OVERALL CONDITION Dying - Ivy management successfully complete. Confirms that tree is in very poor condition and is dying. | | Fell tree to ground level and stack arising on site. | Fell to ground level and stack arising on site | Within 6 months |
| 11 | Pinus spp. (Pine spp) | 18.0m | 6.0m | 10 + years | Fully Mature | OVERALL CONDITION Fair - No change in condition since last inspection. | | No significant safety issues | No action required | — |
| 12 | Acer pseudoplatanus (Sycamore) | 19.0m | 8.0m | 10 + years | Fully Mature | OVERALL CONDITION Fair -No change in condition since last inspection. Ivy management successfully completed. Tree structure now visible and sound. | | No significant safety issues | No action required | — |

| | | | | | | | | | | | |
|----------------|--|--------------------|--------------|-------------------------|--------------|---|---|---------------------------------|---------------|--|--|
| Project: | Tree safety assessment WaySaxon | | | | | Surveyed by: Mrs Alice Martin-Butler | <div>AlisonK - Arboriculture</div> <div>33 Timperleys, Hintlesham, Ipswich, IP8 3PS.</div> <div>T: 01473 652552</div> <div>M: 07425389786</div> <div>E: ali@alisonK.co.uk</div> | | | | |
| Ref: | Appendix B7. REVIEW1: Schedule of trees, work recommendations & priority timescales. | | | | | Weather: Fine and dry. | | | | | |
| Survey Date: | 14th & 22nd September 20222 | | | | | <div>Notes:</div> <div>1: Comments and updates from latest survey are shown in blue.</div> <div>2: Identifying trees for work on site: Trees have been marked with an orange spray mark discreetly at base of tree or on ivy stem.</div> <div>3: Some trees contained in this schedule are covered by TPO 25.</div> | | | | | |
| Client: | Melton Parish Council | | | | | | | | | | |
| | | Estimated (metres) | | | | | | | | | |
| Tree/Gp Number | Species | Height | Crown Spread | Life Expectancy (years) | Age Class. | Tree Problems/Comments. | Safety significance and recommendations | Work required on safety grounds | Work Priority | | |
| 13 | Quercus robur (English Oak) | 15.0m | 7.0m | 40 + years | Fully Mature | OVERALL CONDITION Good -No change in condition since last inspection. Ivy management successfully completed. Tree structure now visible and sound. | No significant safety issues | No action required | — | | |
| 14 | Pinus spp. (Pine spp) | 18.0m | 6.0m | 10 + years | Fully Mature | OVERALL CONDITION Fair - Noticeable stem lean towards garden of adjacent property. Owner of property adjacent has permission to remove tree but not carried out the work yet. No change in condition since last inspection. | No significant safety issues | No action required | — | | |
| 15 | Castanea sativa (sweet chestnut) | 7.0m | 7.0m | 40 + years | Young | OVERALL CONDITION Good - Miss-identified at last inspection. is a sweet chestnut not oak!. No change in condition since last inspection. | No significant safety issues | No action required | — | | |
| 16 | Acer pseudoplatanus (Sycamore) | 16.0m | 9.0m | 20+ years | Fully Mature | OVERALL CONDITION Good -No change in condition since last inspection. Ivy management successfully completed. Tree structure now visible and sound. | No significant safety issues | No action required | — | | |
| 17 | Pinus spp. (Pine spp) | 18.0m | 6.0m | 10 + years | Over-Mature | OVERALL CONDITION Fair - No change in condition since last inspection. | No significant safety issues | No action required | — | | |
| 18 | Acer pseudoplatanus (Sycamore) | 14.0m | 5.0m | 20+ years | Maturing | OVERALL CONDITION Fair - No change in condition since last inspection. | No significant safety issues | No action required | — | | |
| 19 | Acer pseudoplatanus (Sycamore) | 15.0m | 5.0m | 20+ years | Young | OVERALL CONDITION Good -Improvement in condition since last inspection. Ivy management successfully completed. Tree Structure now visible and sound | No significant safety issues | No action required | — | | |
| 20 | Acer pseudoplatanus (Sycamore) | 12.0m | 6.0m | 20+ years | Fully Mature | OVERALL CONDITION Poor -No change in condition since last inspection. minor deadwood present. Not significant in terms of safety. | No significant safety issues | No action required | — | | |
| 21 | Acer pseudoplatanus (Sycamore) | 12.0m | 8.0m | 20+ years | Fully Mature | OVERALL CONDITION Fair - No change in condition since last inspection. minor deadwood present. Not significant in terms of safety. | No significant safety issues | No action required | — | | |
| 22 | Acer pseudoplatanus (Sycamore) | 14.0m | 5.0m | 40 + years | Young | OVERALL CONDITION Good - No change in condition since last inspection. | No significant safety issues | No action required | — | | |
| 23 | Acer pseudoplatanus (Sycamore) | — | — | — | — | Work to fell young tree complete. | — | No action required | — | | |
| 24 | Acer pseudoplatanus (Sycamore) | 18.0m | 11.0m | 40 + years | Maturing | OVERALL CONDITION Good -No change in condition since last inspection. | No significant safety issues | No action required | — | | |
| 25 | Acer pseudoplatanus (Sycamore) | 20.0m | 6.0m | 40 + years | Maturing | OVERALL CONDITION Fair - Ivy management successfully completed and tree structure visible and sound. | No significant safety issues | No action required | — | | |

| | | | | | | | | | | |
|----------------|--|--------------------|--------------|-------------------------|--------------|---|---|---|---------------|--|
| Project: | Tree safety assessment <div>Way</div> <div>Saxon</div> | | | | | Surveyed by: Mrs Alice Martin-Butler | | <div>AlisonK - Arboriculture</div> <div>33 Timperleys, Hintlesham, Ipswich, IP8 3PS.</div> <div>T: 01473 652552</div> <div>M: 07425389786</div> <div>E: ali@alisonK.co.uk</div> | | |
| Ref: | Appendix B7. REVIEW1: Schedule of trees, work recommendations & priority timescales. | | | | | Weather: Fine and dry. | | | | |
| Survey Date: | 14th & 22nd September 20222 | | | | | <div>Notes:</div> <div>1: Comments and updates from latest survey are shown in blue.</div> <div>2: Identifying trees for work on site: Trees have been marked with an orange spray mark discreetly at base of tree or on ivy stem.</div> <div>3: Some trees contained in this schedule are covered by TPO 25.</div> | | | | |
| Client: | Melton Parish Council | | | | | | | | | |
| | | Estimated (metres) | | | | | | | | |
| Tree/Gp Number | Species | Height | Crown Spread | Life Expectancy (years) | Age Class. | Tree Problems/Comments. | Safety significance and recommendations | Work required on safety grounds | Work Priority | |
| 26 | Acer pseudoplatanus (Sycamore) | 14.0m | 6.0m | 20+ years | Maturing | OVERALL CONDITION Fair - No change in condition since last inspection. | No significant safety issues | No action required | — | |
| 27 | Acer pseudoplatanus (Sycamore) | 18.0m | 10.0m | 20+ years | Maturing | OVERALL CONDITION Fair - Ivy management successfully completed and tree structure visible and sound. Tree in good condition with no significant safety issues. Ivy management successfully completed and tree structure visible and sound. Tree in good condition with no significant safety issues. | No significant safety issues | No action required | — | |
| 28 | Acer pseudoplatanus (Sycamore) | 18.0m | 6.0m | 20+ years | Maturing | OVERALL CONDITION Fair - Ivy management successfully completed and tree structure visible and sound. Tree sided up with numerous smaller diameter branches cut back over boundary to care home. No significant safety issues however, as tree regrow likely to be an on going problem for light in the care home rooms adjacent. (may end up as sacrifice). | No significant safety issues | No action required | — | |
| 29 | Acer pseudoplatanus (Sycamore) | 18.0m | 10.0m | 40 + years | Maturing | OVERALL CONDITION Good - Structure now visible and sound following ivy management. Tree of very good form. | No significant safety issues | No action required | — | |
| 30 | Acer pseudoplatanus (Sycamore) | 18.0m | 10.0m | 40 + years | Maturing | OVERALL CONDITION Fair -Ivy management successfully completed and tree structure visible and sound. One branch cut back to 500mm long 75mm diameter stub. (well over home boundary line). Leaf size generally small giving tree a slightly sparse appearance. Not significant in terms of safety. No change in condition since last inspection. | No significant safety issues | No action required | — | |
| 31 | Fagus sylvatica (Common Beech) | 17.0m | 10.0m | 10 + years | Over-Mature | OVERALL CONDITION Fair - Slightly thin and smaller leaf coverage at top of tree. No change in condition since last inspection. | No significant safety issues | No action required | — | |
| 32 | Acer pseudoplatanus (Sycamore) | 17.0m | 10.0m | 20+ years | Fully Mature | OVERALL CONDITION Fair - Slightly small leaf size towards top of tree. No significant safety issues. No change in condition since last inspection. | No significant safety issues | No action required | — | |
| 33 | Acer pseudoplatanus (Sycamore) | 16.0m | 13.0m | 20+ years | Fully Mature | OVERALL CONDITION Fair - Tree with dense healthy leaf cover. No sign of likely smaller branch failure from former pruning points. No change in condition since last inspection. | No significant safety issues | No action required | — | |
| 34 | Quercus cerris (Turkey Oak) | 20.0m | 10.0m | 40 + years | Fully Mature | OVERALL CONDITION Fair - No change in condition since last inspection. | No significant safety issues | No action required | — | |
| 35 | Castanea sativa (Sweet Chestnut) | 16.0m | 11.0m | 40 + years | Fully Mature | OVERALL CONDITION Fair - No change in condition since last inspection. | No significant safety issues | No action required | — | |
| 36 | Quercus robur (English Oak) | 18.0m | 12.0m | 40 + years | Veteran | OVERALL CONDITION Good - very large diameter Veteran collard. Looks to be shared ownership. No access to inspect 360° as close border fence abuts both sides. Parts of tree viewable from footpath remain in good condition with no significant safety issues. | No significant safety issues | No action required | — | |

| | | | | | | | | | | |
|----------------|--|--------------------|--------------|-------------------------|--------------|---|--|---|---------------------------------|------------------|
| Project: | Tree safety assessment <div>Way</div> <div>Saxon</div> | | | | | Surveyed by: Mrs Alice Martin-Butler | | <div>AlisonK - Arboriculture</div> <div>33 Timperleys, Hintlesham, Ipswich, IP8 3PS.</div> <div>T: 01473 652552</div> <div>M: 07425389786</div> <div>E: ali@alisonK.co.uk</div> | | |
| Ref: | Appendix B7. REVIEW1: Schedule of trees, work recommendations & priority timescales. | | | | | Weather: Fine and dry. | | | | |
| Survey Date: | 14th & 22nd September 20222 | | | | | <div>Notes:</div> <div>1: Comments and updates from latest survey are shown in blue.</div> <div>2: Identifying trees for work on site: Trees have been marked with an orange spray mark discreetly at base of tree or on ivy stem.</div> <div>3: Some trees contained in this schedule are covered by TPO 25.</div> | | | | |
| Client: | Melton Parish Council | | | | | | | | | |
| | | Estimated (metres) | | | | | | | | |
| Tree/Gp Number | Species | Height | Crown Spread | Life Expectancy (years) | Age Class. | Tree Problems/Comments. | | Safety significance and recommendations | Work required on safety grounds | Work Priority |
| 37 | Fagus sylvatica (Common Beech) | 23.0m | 10.0m | 40 + years | Fully Mature | OVERALL CONDITION Good - Ivy management particularly successful and most of structure now visible. Difficult to get far enough away to examine very upper parts but no significant defects suspected. No change in condition since last inspection. | | No significant safety issues | No action required | — |
| 38 | Acer pseudoplatanus (Sycamore) | 20.0m | 8.0m | 20+ years | Fully Mature | OVERALL CONDITION Fair - No change in condition since last inspection. | | No significant safety issues | No action required | — |
| 39 | Acer pseudoplatanus (Sycamore) | 20.0m | 4.0m | 20+ years | Fully Mature | OVERALL CONDITION Fair -No change in condition since last inspection however, ivy becoming very dense. | | Ivy not likely to be masking significant defects however manage ivy as precaution. | Carry out ivy management. | Within 12 months |
| 40 | Fagus sylvatica (Common Beech) | 18.0m | 10.0m | 20+ years | Fully Mature | OVERALL CONDITION Fair - No change in condition since last inspection. Still lightly ivy clad, but not masking defects. | | No significant safety issues. | No action required | — |
| 41 | Fagus sylvatica (Common Beech) | 25.0m | 12.0m | 20+ years | Over-Mature | OVERALL CONDITION Good - No change in condition since last inspection. | | No significant safety issues. | No action required | — |
| 42 | Castanea sativa (Sweet Chestnut) | 17.0m | 14.0m | 100+ Years | Fully Mature | OVERALL CONDITION Good - Tree show signs of loss of slight of vitality with top leaf size smaller than lower down stems. No change in overall condition since last inspection and Not significant in terms if safety. | | No significant safety issues. | No action required | — |
| 43 | Carpinus betulus (Hornbeam) | 18.0m | 8.0m | 100+ Years | Maturing | OVERALL CONDITION Good - No change in condition since last inspection. | | No significant safety issues. | No action required | — |
| 44 | Acer pseudoplatanus (Sycamore) | 18.0m | 8.0m | 20+ years | Young | OVERALL CONDITION Fair -No change in condition since last inspection However, tree likely to be 'shaded out' in longer term due to presence of more dominant trees. | | No significant safety issues. | No action required | — |
| 45 | Acer pseudoplatanus (Sycamore) | 18.0m | 8.0m | 20+ years | Maturing | OVERALL CONDITION Fair - No change in condition since last inspection. | | No significant safety issues. | No action required | — |
| 46 | Castanea sativa (Sweet chestnut) | 20.0m | 10.0m | 40 + years | Fully Mature | OVERALL CONDITION Good - No change in condition since last inspection. | | No significant safety issues. | No action required | — |
| 47 | Acer pseudoplatanus (Sycamore) | 17.0m | 8.0m | 20+ years | Maturing | OVERALL CONDITION Fair - Ivy now completely dead on stem. Structure now visible and sound. No change in condition since last inspection. | | No significant safety issues. | No action required | — |
| 48 | Carpinus betulus (Hornbeam) | 18.0m | 8.0m | 100+ Years | Maturing | OVERALL CONDITION Good -No change in condition since last inspection. | | No significant safety issues. | No action required | — |
| 49 | Acer pseudoplatanus (Sycamore) | 18.0m | 6.0m | 20+ years | Young | OVERALL CONDITION Fair - Ivy now completely dead on stem. Structure now visible and sound. No change in condition since last inspection. | | No significant safety issues. | No action required | — |
| 50 | Quercus robur (English Oak) | 18.0m | 8.0m | 100+ Years | Young | OVERALL CONDITION Fair -Tree has healthy leaf cover. Deadwood remains but not large and likely due to low light levels caused by surroundings trees. | | No significant safety issues. | No action required | — |

| | | | | | | | | | | |
|----------------|--|--------------------|--------------|-------------------------|--------------|---|--|--|---------------------------------|---------------|
| Project: | Tree safety assessment <div>Way</div> Saxon | | | | | Surveyed by: Mrs Alice Martin-Butler | | <div>AlisonK - Arboriculture</div> <div>33 Timperleys, Hintlesham, Ipswich, IP8 3PS.</div> <div>T: 01473 652552</div> <div>M: 07425389786</div> <div>E: ali@alisonK.co.uk</div> | | |
| Ref: | Appendix B7. REVIEW1: Schedule of trees, work recommendations & priority timescales. | | | | | Weather: Fine and dry. | | | | |
| Survey Date: | 14th & 22nd September 20222 | | | | | <div>Notes:</div> <div>1: Comments and updates from latest survey are shown in blue.</div> <div>2: Identifying trees for work on site: Trees have been marked with an orange spray mark discreetly at base of tree or on ivy stem.</div> <div>3: Some trees contained in this schedule are covered by TPO 25.</div> | | | | |
| Client: | Melton Parish Council | | | | | | | | | |
| | | Estimated (metres) | | | | | | | | |
| Tree/Gp Number | Species | Height | Crown Spread | Life Expectancy (years) | Age Class. | Tree Problems/Comments. | | Safety significance and recommendations | Work required on safety grounds | Work Priority |
| 51 | Betula pendula (Silver Birch) | 14.0m | 6.0m | 40 + years | Maturing | OVERALL CONDITION Good -No change in condition since last inspection. | | No significant safety issues. | No action required | — |
| 52 | Carpinus betulus (Hornbeam) | 7.0m | 6.0m | 100+ Years | Young | OVERALL CONDITION Good -No change in condition since last inspection. | | No significant safety issues. | No action required | — |
| 53 | Fraxinus excelsior (Common Ash) | 11.0m | 5.0m | 10 + years | Young | OVERALL CONDITION Fair - Crown about 50% of normal leaf coverage. May improve with time following ivy management. Not significant in terms of safety. | | No significant safety issues. | No action required | — |
| 54 | Acer pseudoplatanus (Sycamore) | 11.0m | 5.0m | <5 Years | Young | Tree now felled as part of recommendation in last report | | — | No action required | — |
| G1 | Mixed Broadleaves 15 x sycamore, holly,1 x laural,1 x yew and dense bramble. | — | — | 40+ years | Young | OVERALL CONDITION Fair -No significant safety issues however some of the young sycamores appear to be declining in health and may need removing within a few years. | | No significant safety issues. | No action required | — |
| G2 | Mixed Broadleaves. Mainly holly and yew | 5.0m | — | 40 + years | Young | OVERALL CONDITION Good - No change in condition since last inspection. | | No significant safety issues. | No action required | — |
| G3 | Mixed Broadleaves. Inc sycamore, young elm & maturing holly. | — | — | — | Mixed | OVERALL CONDITION good - Group of all ages of All in good health. No change in condition since last inspection. | | No significant safety issues. | No action required | — |
| G4 | Acer pseudoplatanus (Sycamore) | 25.0m | — | 40 + years | Fully Mature | OVERALL CONDITION Good - Ivy management successfully completed and tree structures now visible and sound. Central tree to front of group and path has a basal cavity showing the tree is hollowing. Cavity depth currently approx. 350mm diameter on tree with 600mm stem. Not significant in terms of safety currently. Tree is sheltered inside the group and cavity not extensive. | | No significant safety issues. | No action required | — |
| G5 | Mixed Broadleaves. mainly sycamore & field maple | 15.0m | — | 40 + years | Young | OVERALL CONDITION Good- Group remains in good condition. Longer term tree health would benefit from some active manage to thin 30% of sycamore stems. | | No significant safety issues. | No action required | — |