

Project:	Tree safety assessment Riverview & Land side of River Deben opp. Fayrefield Rd					Surveyed by: Mrs Alice Martin-Butler		<p style="text-align: center;">AlisonK - Arboriculture</p> <p style="text-align: center;">6 Pond Piece, Brandeston, Woodbridge, IP13 7AW</p> <p style="text-align: center;">T: 01728 685898 M: 07425389786 E: ali@alisonK.co.uk</p>		
Ref:	Appendix B6. REVIEW2: Schedule of trees, work recommendations and priority timescales.					Weather: Fine and dry				
Survey Date:	17th, 19th & 23rd February 2024					Notes:				
Client:	Melton Parish Council					1: Comments and updates from latest survey are shown in blue. 2: Identifying trees for work on site: Trees have been marked with an orange spray mark discreetly at base of tree or on ivy stem.				
		Estimated (metres)								
Tree/Gp Number	Species	Height	Crown Spread	Life Expectancy (years)	Age Class.	Tree Problems/Comments.	Safety significance and recommendations	Work required on safety grounds	Work Priority	
Site	Riverview. Survey date 23/02/2024									
1	Juglans regia (Common Walnut)	10.0m	10.0m	40 + years	Young	OVERALL CONDITION - Good Tree not put on growth since last inspection. Branches not much lower than last inspection. Be good to 'tidy up' the work.	No significant safety issues	Lift minor low branches to give 2.5m ground clearance.	Within 6 months	
2	Quercus robur (English Oak)	10.0m	11.0m	40 + years	Young	OVERALL CONDITION Good - Low branches removed to give 2.5 metres ground clearance however lamp standard needs clearing now. No change in condition since last inspection.	No significant safety issues however lamp standard needs clearing.	Cut back minor branches to give 1.5m clearance round the lamp standard.	Within 6 months	
Site	Land side of River Deben opp. Fayrefield Road. Survey date 17 & 19/02/2024									
3	Salix alba (White Willow)	-	-	-	-	Tree was part of G1 - Now felled as part of 2021 inspection	-	No action required	-	
4	Salix spp. (Willow species)	-	-	-	-	Tree was part of G1. - Now felled as part of work identified in 2022 inspection.	-	No action required	-	
5	Salix alba (White Willow)	-	-	-	-	Tree was part of G1. - Now felled as part of work identified in 2022 inspection.	-	No action required	-	
G1	Including oak, birch willow, hawthorn & goat willow			Various	40 + years	CONDITION - Good No change in condition since last inspection. Access to this area is now very limited due to piled up spoil at entrance to site from the boat yard.	No significant safety issues	No action required	-	
G2	Salix spp. (Willow species)			Maturing	20 + years	OVERALL CONDITION - Good Seven of the nine willow trees in group remain in good condition. No safety issues with other trees in group.	No significant safety issues.	No action required	-	
G3	'Mix Broad (Mixed Broadleaves)			Various	40 + years	CONDITION - Good No change in condition since last inspection. Access to this area and its trees is now very limited. One mature birch 'could' feasibly reach railway land but not the railway line. But very unlikely to fail.	No significant safety issues	No action required	-	