

| Project:       | Tree safety assessment.<br><b>Beresfield Drive open space &amp; play area &amp; land on corner of Bredfield Rd &amp; Bury Hill.</b> |              |              |                         | Surveyed by: Mrs Alice Martin-Butler   |   | <p style="text-align: center;"><b>AlisonK - Arboriculture</b><br/>         6 Pond Piece, Brandeston, Woodbridge, IP13<br/>         7AW<br/>         T: 01728 685898<br/>         M: 07425389786<br/>         E: ali@alisonk.co.uk</p> |                                 |                        |
|----------------|---|--------------|--------------|-------------------------|--|---|---|---------------------------------|------------------------|
| Ref:           | Appendix B9: REVIEW2: Schedule of trees, work recommendations and priority timescales.  |              |              |                         | Weather: Fine and dry.   |   |   |                                 |                        |
| Survey Date:   | 2nd February 2024   |              |              |                         | <b>Notes:</b><br><b>1: Comments and updates from latest survey are shown in blue.</b><br><b>2: Identifying trees for work on site:</b> Trees have been marked with an orange spray mark discreetly at base of tree or on ivy stem. |   |   |                                 |                        |
| Client:        | Melton Parish Council   |              |              |                         |  |   |   |                                 |                        |
|                |   | Est (metres) |              |                         |  |   |   |                                 |                        |
| Tree/Gp Number | Species   | Height       | Crown Spread | Life Expectancy (years) | Age Class.   | Tree Problems/Comments.   | Safety significance and recommendations   | Work required on safety grounds | Work Priority          |
| Site           | <b>Beresfield Drive play area (including road site splay) Survey Date. 2/02/2024</b>  |              |              |                         |  |   |   |                                 |                        |
| 1              | Sorbus intermedia (Swedish Whitebeam)   | –            | –            | –                       | –  | Tree considered to be in good condition at last inspection has suffered complete root-plate failure in recent high winds. Likely cause very wet ground condition and very dense crown branch structure. | Not a tree safety issues but replanting in location is desirable as loss of amenity to the area is significant.   | <b>Remove/grind stump</b>       | <b>Within 6 months</b> |
| 2              | Fraxinus spp. (Ash spp)   | 7.0m         | 6.0m         | Young                   | 20+ years  | OVERALL CONDITION - Good<br>No change in condition since last inspection.   | No significant safety issues  | No action required              | –                      |
| 3              | Prunus avium (Wild Cherry)  | 11.0m        | 10.0m        | Fully Mature            | 20+ years  | OVERALL CONDITION - Fair<br>No change in condition since last inspection.   | No significant safety issues  | No action required              | –                      |
| 4              | Sorbus spp. (Rowan/Whitebeam)   | 7.0m         | 5.0m         | Young                   | 20+ years  | OVERALL CONDITION - Fair<br>No change in condition since last inspection.   | No significant safety issues  | No action required              | –                      |
| 5              | Carpinus betulus (Hornbeam)   | 8.0m         | 8.0m         | Young                   | 40 + years   | OVERALL CONDITION - Fair<br>No change in condition since last inspection.   | No significant safety issues  | No action required              | –                      |
| 6              | Carpinus betulus (Hornbeam)   | 8.0m         | 8.0m         | Young                   | 40 + years   | OVERALL CONDITION - Good<br>No change in condition since last inspection.   | No significant safety issues  | No action required              | –                      |
| 7              | Carpinus betulus (Hornbeam)   | 8.0m         | 6.0m         | Young                   | 40 + years   | OVERALL CONDITION - Fair<br>No change in condition since last inspection.   | No significant safety issues  | No action required              | –                      |

| Project:       | Tree safety assessment.<br><b>Beresfield Drive open space &amp; play area &amp; land on corner of Bredfield Rd &amp; Bury Hill.</b> |              |              |                         | Surveyed by: Mrs Alice Martin-Butler  |   | <h2 style="text-align: center;">AlisonK - Arboriculture</h2> <p style="text-align: center;">6 Pond Piece, Brandeston, Woodbridge, IP13<br/>7AW<br/>T: 01728 685898<br/>M: 07425389786<br/>E: ali@alisonk.co.uk</p> |                                 |               |
|----------------|---|--------------|--------------|-------------------------|---|---|--|---------------------------------|---------------|
| Ref:           | Appendix B9: REVIEW2: Schedule of trees, work recommendations and priority timescales.  |              |              |                         | Weather: Fine and dry.  |   |  |                                 |               |
| Survey Date:   | 2nd February 2024   |              |              |                         | Notes:  |   |  |                                 |               |
| Client:        | Melton Parish Council   |              |              |                         | <b>1: Comments and updates from latest survey are shown in blue.</b><br><b>2: Identifying trees for work on site:</b> Trees have been marked with an orange spray mark discreetly at base of tree or on ivy stem. |   |  |                                 |               |
|                |   | Est (metres) |              |                         |   |   |  |                                 |               |
| Tree/Gp Number | Species   | Height       | Crown Spread | Life Expectancy (years) | Age Class.  | Tree Problems/Comments.   | Safety significance and recommendations  | Work required on safety grounds | Work Priority |
| Site           | <b>Beresfield Drive open space Survey Date. 2/02/2024</b>   |              |              |                         |   |   |  |                                 |               |
| 8              | Sorbus spp. (Whitebeam fam.)  | 5.0m         | 2.0m         | Young                   | 20+ years   | OVERALL CONDITION - Fair<br>No change in condition since last inspection.   | No significant safety issues   | No action required              | –             |
| 9              | Prunus spp. (Cherry spp)  | 5.0m         | 1.0m         | Young                   | 20+ years   | OVERALL CONDITION - Indifferent<br>Tree has gone except for 200mm high stump and one 1.5m high sucker. Will likely regrow into multi stemmed from if left | No significant safety issues   | No action required              | –             |
| 10             | Prunus spp. (Cherry spp)  | 5.0m         | 3.5m         | Young                   | 20+ years   | OVERALL CONDITION - Fair<br>No change in condition since last inspection.   | No significant safety issues   | No action required              | –             |
| Site           | <b>Land on corner of Bredfield Rd &amp; Bury Hill. Survey Date. 2/02/2024</b>   |              |              |                         |   |   |  |                                 |               |
| 11             | Cedrus deodara (Deodar Cedar)   | 11.0m        | 5.5m         | Young                   | 40 + years  | OVERALL CONDITION Good -Grown in hight by 2 metres. No change in condition since last inspection  | No significant safety issues   | No action required              | –             |
| 12             | Cedrus deodara (Deodar Cedar)   | –            | –            | –                       | –   | Newly planted tree now gone.  | Always space for another tree to be planted but no safety issues   | No action required              | –             |
| 13             | Acer platanoides (Norway Maple)   | 18.0m        | 13.0m        | Fully-Mature            | 10 + years  | OVERALL CONDITION - Fair<br>No change in condition since last inspection.   | Not significant in terms of safety however tree has a fairly short life expectancy.  | No action required              | –             |
| 14             | Cedrus libani (Cedar of Lebanon)  | 9.0m         | 9.0m         | Young                   | 40 + years  | OVERALL CONDITION - Fair<br>No change in condition since last inspection  | No significant safety issues   | No action required              | –             |
| 15             | Cedrus deodara (Deodar Cedar)   | 6.0m         | 4.0m         | –                       | 10 + years  | OVERALL CONDITION - Tree still standing sound as 6m high framework.   | No significant safety issues   | No action required              | –             |

| Project:       | Tree safety assessment.<br><b>Beresfield Drive open space &amp; play area &amp; land on corner of Bredfield Rd &amp; Bury Hill.</b> |              |              |                         | Surveyed by: Mrs Alice Martin-Butler  |   | <h2 style="text-align: center;">AlisonK - Arboriculture</h2> <p style="text-align: center;">6 Pond Piece, Brandeston, Woodbridge, IP13<br/>7AW<br/>T: 01728 685898<br/>M: 07425389786<br/>E: ali@alisonk.co.uk</p> |  |                        |
|----------------|---|--------------|--------------|-------------------------|---|---|--|--|------------------------|
| Ref:           | <b>Appendix B9: REVIEW2:</b> Schedule of trees, work recommendations and priority timescales.                                       |              |              |                         | Weather: Fine and dry.  |   |  |  |                        |
| Survey Date:   | <b>2nd February 2024</b>  |              |              |                         | Notes:  |   |  |  |                        |
| Client:        | <b>Melton Parish Council</b>  |              |              |                         | <b>1: Comments and updates from latest survey are shown in blue.</b><br><b>2: Identifying trees for work on site:</b> Trees have been marked with an orange spray mark discreetly at base of tree or on ivy stem. |   |  |  |                        |
|                |   | Est (metres) |              |                         |   |   |  |  |                        |
| Tree/Gp Number | Species   | Height       | Crown Spread | Life Expectancy (years) | Age Class.  | Tree Problems/Comments.   | Safety significance and recommendations  | Work required on safety grounds  | Work Priority          |
| 16             | Cedrus libani<br>(Cedar of Lebanon)   | 17.0m        | 12.0m        | Fully Mature            | 40 + years  | <p style="text-align: center;">OVERALL CONDITION - Fair</p> No change in condition since last inspection. Two dead branches in crown away from road but over informal footpath  | Dead branches unlikely to fail however location over footpath dictates precautionary removal   | <b>Remove two dead branches in crown over informal footpath back to main stem.</b> | <b>Within 6 months</b> |
| 17             | Quercus robur<br>(English Oak)  | 15.0m        | 10.0m        | Veteran                 | 40 + years  | <p style="text-align: center;">CONDITION - Fair</p> No significant change in overall condition since last inspection. Has had an interim inspection in 2023 following enquiry from neighbouring property. Branches overhanging garden could be pruned back without negative effect on veteran tree however no safety issue found for MPC to carry out work. | No significant safety issues.  | No action required   | –                      |
| 18             | Quercus robur<br>(English Oak)  | 18.0m        | 16.0m        | Veteran                 | 100+ Years  | <p style="text-align: center;">CONDITION - Good</p> No change since last inspection.  | No significant safety issues.  | No action required   | –                      |
| 19             | Quercus robur<br>(English Oak)  | 14.0m        | 11.0m        | Veteran                 | 40 + years  | <p style="text-align: center;">OVERALL CONDITION - Fair</p> No sign of beefsteak fungus identified at last summer inspection. No change in condition since last inspection.   | No significant safety issues   | No action required   | –                      |
| 20             | Quercus robur<br>(English Oak)  | 15.0m        | 10.0m        | Veteran                 | 40 + years  | <p style="text-align: center;">OVERALL CONDITION - Good</p> No change in condition since last inspection  | No significant safety issues   | No action required   | –                      |
| 21             | Pinus sylvestris<br>(Scots Pine)  | –            | –            | –                       | –   | Tree now felled and on ground as habitat.   | –  | No action required   | –                      |
| 22             | Pinus sylvestris<br>(Scots Pine)  | 8.0m         | 6.0m         | Fully Mature            | 20+ years   | <p style="text-align: center;">CONDITION - Indifferent</p> No change since last inspection.   | No significant safety issues   | No action required   | –                      |

| Project:       | Tree safety assessment.<br><b>Beresfield Drive open space &amp; play area &amp; land on corner of Bredfield Rd &amp; Bury Hill.</b> |              |              |                         | Surveyed by: Mrs Alice Martin-Butler  |   | <p><b>AlisonK - Arboriculture</b><br/>         6 Pond Piece, Brandeston, Woodbridge, IP13<br/>         7AW<br/>         T: 01728 685898<br/>         M: 07425389786<br/>         E: ali@alisonk.co.uk</p> |  |                 |
|----------------|---|--------------|--------------|-------------------------|---|---|---|--|-----------------|
| Ref:           | Appendix B9: REVIEW2: Schedule of trees, work recommendations and priority timescales.  |              |              |                         | Weather: Fine and dry.  |   |   |  |                 |
| Survey Date:   | 2nd February 2024   |              |              |                         | Notes:<br>1: Comments and updates from latest survey are shown in blue.<br>2: Identifying trees for work on site: Trees have been marked with an orange spray mark discreetly at base of tree or on ivy stem. |   |   |  |                 |
| Client:        | Melton Parish Council   |              |              |                         |   |   |   |  |                 |
|                |   | Est (metres) |              |                         |   |   |   |  |                 |
| Tree/Gp Number | Species   | Height       | Crown Spread | Life Expectancy (years) | Age Class.  | Tree Problems/Comments.   | Safety significance and recommendations   | Work required on safety grounds  | Work Priority   |
| 23             | Pinus sylvestris (Scots Pine)   | 15.0m        | 6.0m         | Fully Mature            | 20+ years   | OVERALL CONDITION - Fair<br>No change since last inspection.  | No significant safety issues  | No action required   | -               |
| 24             | Quercus robur (English Oak)   | 13.0m        | 15.0m        | Veteran                 | 40 + years  | OVERALL CONDITION - Good<br>No change since last inspection.  | No significant safety issues  | No action required   | -               |
| 25             | Acer pseudoplatanus (Sycamore)  | -            | -            | -                       | -   | Tree now felled and on ground as habitat. Part of work identified in 2022 inspection.   | -   | No action required   | -               |
| 26             | Pinus sylvestris (Scots Pine)   | 15.0m        | 4.0m         | Mature                  | > 5 years   | OVERALL CONDITION Dead - Standing dead since last inspection. looking bark and numerous pin holes.                                | Tree appear to have been dead for some time judging be bark condition and numerous pin holes. Not currently a safety issue but fell as precaution.  | Fell to 3m high stem and leave as habitat pole. Lave arisings on site as habitat | Within 6 months |
| G1             | Contains mainly Scots pine., Norway maple pole stage elm, holly, a few young ash & sycamore.  | -            | -            | Various                 | Mixed   | One of the seven remaining mature Scots pines (see 26 above) has been added to the schedule as it has died since last inspection. | No significant safety issues  | No work required   | -               |